Weed Name	Original	Bamboo Buster	Glimax	LawnRaider	Roll On	MetGel	Picloram	NOTES Always apply gel IMMEDIATELY after horizontal cutting as low as possible
Agapanthus			VVV			VVV	VVV	Cut down and paste the stumps
Alligator Weed						VVV		Take care using over water
Arum Lily			VVV			VVV		
Barberry		<b>VVV</b>	<b>V</b> VV				VVV	
Bathurst Bur		VVV	VVV			VVV	VVV	
Bears Breeches			VVV					Used as a stump paste or underside of leaves
Bindweed / Convolvulus	VVV	VVV	VVV					Just a smear is all you need
Blackberry			VVV			VVV		Cut right back to the main stump
Boneseed	<b>VVV</b>	<b>VVV</b>	<b>V</b> VV				VVV	
Boxthorn		VVV	VVV			VVV		
Bracken	<b>VVV</b>	VVV	<b>V</b> VV					Used when the growth is young
Broom						VVV	VVV	
Buckthorn Rhamnus		<b>VVV</b>	<b>V</b> VV				VVV	
Buddleia	<b>VVV</b>	VVV	<b>VVV</b>					
Buttercup - Hairy (annual)	<b>VVV</b>	<b>VVV</b>	<b>V</b> VV	VVV	VVV			
Buttercup- Giant	<b>VVV</b>	<b>VVV</b>	<b>V</b> VV	VVV	VVV			
Californian Thistle		VVV	VVV					It is a perrenial and may require repeats
Cape Daisy/Cape Weed	VVV			VVV				
Catsear				VVV				
Chickweed				VVV				
Cleavers	VVV			VVV				
Clover – white and red								Clover is only moderately suseptible to
Creeping Yellow Cress								glynhosate hased products ?
Daisy	VVV	VVV	VVV	VVV	VVV			
Dandelion	VVV	VVV	VVV	VVV	VVV			
Docks	VVV	VVV	VVV	VVV	VVV		VVV	
Fathen	VVV	VVV	VVV	VVV	VVV			
Fennel	VVV	VVV	VVV	VVV	VVV			
Fleabane - Broadleaf	VVV	VVV	VVV	VVV	VVV			
Foxglove	VVV	VVV	VVV		VVV			
Fumitory	VVV	VVV	VVV		VVV			
Gorse		VVV	VVV			VVV	VVV	
Groundsel	VVV	VVV	VVV	VVV	VVV			
Hawkbit	VVV	VVV	VVV	VVV	VVV			
Hawksbeard	VVV	VVV	VVV	VVV	VVV			
Hawthorn			VVV			VVV		
Hedge Mustard	VVV	VVV	VVV	VVV	VVV			
Hemlock	VVV	VVV	VVV	VVV	VVV			
Henbit				VVV				
Honeysuckle -	VVV	VVV	<b>VVV</b>			VVV	VVV	
Himalavan Honeysuckle - Japanese			VVV			VVV	VVV	
Horehound							VVV	
Hydrocotyle	VVV	VVV	VVV	VVV	VVV			
Inkweed	VVV	VVV	<b>V</b> VV		VVV			
Ivy		VVV	VVV					
Jasmine		VVV	VVV			VVV		Tie bunches of vines and paste the cut ends of the bunches
Kikuyu	VVV	VVV	VVV	vvv	VVV			
Lantana	VVV	VVV	VVV		VVV			
Madiera Vine			VVV			VVV		use a combination of both

Weed Name	Original	Bamboo Buster	Glimax	LawnRaider	Roll On	MetGel	Picloram	NOTES Always apply gel IMMEDIATELY after horizontal cutting as low as possible
Mallow	VVV	VVV	VVV	VVV	VVV			
Manuka		VVV	<b>JJJ</b>			VVV	VVV	
Mataogouri		<b>VVV</b>	<b>VVV</b>			VVV	VVV	This is a threatened native plant
Mexican Devil	VVV	VVV	VVV			VVV		
Moth Plant			VVV				VVV	Scrape the bark and paste the wound
Nettles	VVV	VVV	VVV			VVV		
Nightshade - Black	VVV	VVV	VVV	VVV	VVV	х		Solanacea are resistant to metsulfuron
Nightshade - Woolly (Tobacco Weed)		VVV	VVV			х	VVV	Solanacea are resistant to metsulfuron. May show some regrowth with glyphosate
Old Man's Beard			>>			VVV	VVV	Cut a very horizontal cut to hold the gel
Onehunga Weed				VVV				Repeated applications will be needed
Onion Weed	VVV	VVV	VV		VVV			Wipe onto the leaves
Oxalis	<b>VVV</b>	<b>VVV</b>	<b>V</b> VV		VVV			Wipe onto the underside of leaves and be persistent
Oxeye Daisy				VVV				Repeated applications will be needed
Pampas Grass		VVV	VVV					Cut down and paste the stumps
Parsley Dropwort	VVV	VVV	VVV		VVV	VVV		Also know as carrot weed
Paspalum	VVV	VVV	VVV	VVV	VVV			Just a smear is all you need on the ends
Penny Royal	VVV	VVV	VVV					Be advised that this will also kil any grasses
Periwinkle	VVV	VVV	VVV		VVV			
Plantain - Broadleaved				VVV	VVV			
Plantain - Narrow- Jeaved				VVV	VVV			
Privet		<b>VVV</b>	<b>JJJ</b>			<b>VVV</b>	VVV	Take care to chip and paste any arial roots
Ragwort	VVV	VVV	VVV	VVV	VVV	<b>VVV</b>	VVV	
Ratstail	VVV	VVV	VVV	VVV	VVV			
Redroot		VVV	VVV					Use before the plant has gained much height
(Amaranth) Rushes	VVV	VVV	VVV					
Ryegrass	VVV	VVV	VVV					
Scarlet Pimpernel	VVV	VVV	VVV					
Selfheal	VVV			VVV				
Shepherd's Purse	VVV			VVV	VVV			No need to use strong glyphosate
Sorrel	VVV			VVV				
Speedwell	VVV			VVV	VVV		VVV	
Spurrey	VVV			VVV	VVV			
Stinking Mayweed	VVV			VVV	VVV			
Storkbill	VVV			VVV	VVV			
Suckling Clover	VVV	VVV						
Sweet Briar			VVV			VVV		
Tauhinu						VVV		
Thistle - Nodding	VVV	VVV	VVV		VVV	VVV		
Thistle - Saffron	VVV	VVV	VVV		VVV			
Thistle - Scotch	VVV	VVV	VVV		VVV			
Thistle - Variegated						VVV		
Thistle - Winged	VVV	VVV	VVV		VVV			
Thornapple	VVV	VVV	VVV		VVV			
Tuber Ladder Fern						VVV		
Tutsan	VVV	VVV	VVV		VVV	VVV		
Tutu		<u> </u>				VVV	VVV	
Twincress				VVV				
Wandering Jew		VVV	VVV					
Waterpepper	VVV							Be aware that this may harm water creatures

Weed Name	Original	Bamboo Buster	Glimax	LawnRaider	Roll On	MetGel	Picloram	NOTES Always apply gel IMMEDIATELY after horizontal cutting as low as possible
Wattle			VVV			VVV		
Wild Carrot	VVV	V V V	VVV					
Wild Gingers		V V V	VVV			VVV		
Wild Turnip	VVV	V V V	VVV					
Wilding Pine			VVV			VVV	VVV	
Willow		VVV	VVV			VVV		
Willow-Herb			VVV					Quite tolerant to glyphosate. OK on small plants
Willowweed	VVV	VVV	VVV		VVV			
Wireweed	VVV	VVV	VVV		VVV			
Woolly Mullein	VVV	VVV	VVV		VVV		VVV	
Yarrow	VVV	VVV	VVV		VVV			

KEY

VVV	Suseptible - usually you should have good control when following label instructions. In red the most recommended solution
X	Not Suseptible - not controlled at all at any stage of growth.
	No information available or not effective

All information is provided in good faith and to the best of our knowledge is accurate. Read and adhere to specific label directions and refer to Rainbow & Brown Weed files for more information. In most cases suseptibility will vary depending upon maturity of the weed, time of year, application rate and other factors. If unsure contact Rainbow & Brown for additional information.