## Cut'n'Paste Picloram Gel LandMan Limited

Chemwatch: 5513-56 Version No: 4.1

Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

Chemwatch Hazard Alert Code: 2

Issue Date: **28/02/2022** Print Date: **07/03/2022** S.GHS.NZL.EN

## SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product name	Cut'n'Paste Picloram Gel	
Synonyms	Not Available	
Other means of identification	Not Available	

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

As a targeted herbicide on environmental weed species. Not for use on agricultural crops of foodstuffs for humans or animals.

## Details of the supplier of the safety data sheet

Registered company name	LandMan Limited
Address	16 Hobson Terrace Waiheke Island Auckland 1081 New Zealand
Telephone	+64 21 027 11631
Fax	Not Available
Website	http://www.cutnpaste.co.nz
Email	info@cutnpaste.co.nz

## **Emergency telephone number**

Association / Organisation	LandMan Limited	
Emergency telephone numbers	0800 764 766	
Other emergency telephone numbers	Not Available	

Once connected and if the message is not in your prefered language then please dial 01

## **SECTION 2 Hazards identification**

## Classification of the substance or mixture

Classification [1]	Sensitisation (Skin) Category 1, Hazardous to Soil Organisms	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

Label elements

Hazard pictogram(s)





Signal word Warning

## Hazard statement(s)

H317	May cause an allergic skin reaction.
H421	Hazardous to soil organisms.

## Precautionary statement(s) General

· · · · · · · · · · · · · · · · · · ·		
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read carefully and follow all instructions.	

## Precautionary statement(s) Prevention

P280	Wear protective gloves and protective clothing.
P261	Avoid breathing mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.

Chemwatch: **5513-56**Version No: **4.1** 

Page 2 of 7

Cut'n'Paste Picloram Gel

Issue Date: **28/02/2022**Print Date: **07/03/2022** 

## Precautionary statement(s) Response

P302+P352	IF ON SKIN: Wash with plenty of water.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	

## Precautionary statement(s) Storage

Not Applicable

## Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

## **SECTION 3 Composition / information on ingredients**

## Substances

See section below for composition of Mixtures

#### **Mixtures**

CAS No	%[weight]	Name
2545-60-0	4.3	picloram. potassium salt
Not Available	balance	Ingredients determined not to be hazardous
Legend:	Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI;     Classification drawn from C&L * EU IOELVs available	

## **SECTION 4 First aid measures**

## Description of first aid measures

Eye Contact	If this product comes in contact with the eyes:  Wash out immediately with fresh running water.  Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  Seek medical attention without delay; if pain persists or recurs seek medical attention.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor, without delay.</li> </ul>
Ingestion	<ul> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Seek medical advice.</li> </ul>

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5 Firefighting measures**

## **Extinguishing media**

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

## Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
Advice for firefighters	
Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> </ul>
Fire/Explosion Hazard	<ul> <li>Non combustible.</li> <li>Not considered a significant fire risk, however containers may burn.</li> <li>May emit poisonous fumes.</li> <li>May emit corrosive fumes.</li> </ul>

## **SECTION 6 Accidental release measures**

Chemwatch: 5513-56 Page 3 of 7
Version No: 4.1

#### Cut'n'Paste Picloram Gel

Issue Date: **28/02/2022**Print Date: **07/03/2022** 

## Personal precautions, protective equipment and emergency procedures

See section 8

## **Environmental precautions**

See section 12

#### Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid contact with skin and eyes.</li> <li>Wear impervious gloves and safety goggles.</li> </ul>
Major Spills	Minor hazard.  Clear area of personnel.  Alert Fire Brigade and tell them location and nature of hazard.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## **SECTION 7 Handling and storage**

#### Precautions for safe handling

Safe handling

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- ▶ Use in a well-ventilated area.

Other information

- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.

## Conditions for safe storage, including any incompatibilities

Suitable container

- ► Polyethylene or polypropylene container.
- Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

Storage incompatibility

None known

## SECTION 8 Exposure controls / personal protection

## **Control parameters**

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

## Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
Cut'n'Paste Picloram Gel	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
nicloram notassium salt	Not Available		Not Available	

## Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
picloram, potassium salt	E ≤ 0.01 mg/m³	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.	

## **Exposure controls**

## Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

## Personal protection









# Eye and face protection

- ► Safety glasses with side shields.
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants.

## Skin protection

## See Hand protection below

## Hands/feet protection Wear

- Wear chemical protective gloves, e.g. PVC.Wear safety footwear or safety gumboots, e.g. Rubber
- Body protection See Othe
- See Other protection below

Chemwatch: 5513-56 Version No: 4.1

Cut'n'Paste Picloram Gel

Issue Date: 28/02/2022 Print Date: 07/03/2022

Other protection

- Overalls.
- P.V.C apron.Barrier cream.

## **SECTION 9 Physical and chemical properties**

## Information on basic physical and chemical properties

nformation on basic physical and chemical properties			
Appearance	Opaque gel with slight chemical odour; mixes with water.		
Physical state	Gel	Relative density (Water = 1)	~1.03
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	8-11	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (Not Available%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

## **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

## **SECTION 11 Toxicological information**

## Information on toxicological effects

Inhaled	There is some evidence to suggest that the material can cause respiral cause further lung damage.	ory irritation in some persons. The body's response to such irritation can
Ingestion	corroborating animal or human evidence.	cation systems as "harmful by ingestion". This is because of the lack of emors and convulsions before death. Repeated exposure to low/moderate n in body weight. Lesions may appear on the liver and kidney.
Skin Contact	There is some evidence to suggest that this material can cause inflamr The material may accentuate any pre-existing dermatitis condition Open cuts, abraded or irritated skin should not be exposed to this mate Entry into the blood-stream, through, for example, cuts, abrasions or le prior to the use of the material and ensure that any external damage is	rial sions, may produce systemic injury with harmful effects. Examine the skin
Eye	Although the liquid is not thought to be an irritant (as classified by EC C characterised by tearing or conjunctival redness (as with windburn).	irectives), direct contact with the eye may produce transient discomfort
Chronic		nutations but there is not enough data to make an assessment.  e some concern following repeated or long-term occupational exposure.  s. Animal testing has shown that exposure for long periods may potentially

Cut'n'Paste Picloram Gel

TOXICITY

IRRITATION

Version No: 4.1

## Cut'n'Paste Picloram Gel

Page 5 of 7 Issue Date: 28/02/2022 Print Date: 07/03/2022

	Not Available	Not Available	
	TOXICITY	IRRITATION	
picloram, potassium salt	Oral (Rat) LD50; 686 mg/kg <sup>[2]</sup>	Not Available	
Legend:	Value obtained from Europe ECHA Registered Subsi specified data extracted from RTECS - Register of Toxic		ned from manufacturer's SDS. Unless otherwise
PICLORAM, POTASSIUM SALT	Picloram is absorbed rapidly after oral ingestion and minare difficult to characterise.  The material may produce moderate eye irritation leading conjunctivitis.  The material may cause skin irritation after prolonged ovesicles, scaling and thickening of the skin.	ng to inflammation. Repeated or prolo	nged exposure to irritants may produce
Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	<b>✓</b>	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend:

★ - Data either not available or does not fill the criteria for classification

- Data available to make classification

## **SECTION 12 Ecological information**

## Toxicity

Cut'n'Paste Picloram Gel	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available		Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
picloram, potassium salt	LC50	96h	Fish	10-68mg/l	4
	EC50	48h	Crustacea	63-75mg/L	4
	NOEC(ECx)	720h	Fish	0.6mg/l	4
Legend:	Ecotox databas	IUCLID Toxicity Data 2. Europe ECHA Reg e - Aquatic Toxicity Data 5. ECETOC Aquatio on Data 8. Vendor Data			

DO NOT discharge into sewer or waterways.

## Persistence and degradability

Ingredient	Persistence: Water/Soil Persistence: Air	
	No Data available for all ingredients	No Data available for all ingredients

## **Bioaccumulative potential**

Ingredient	Bioaccumulation
	No Data available for all ingredients

## Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

## **SECTION 13 Disposal considerations**

## Waste treatment methods

Product / Packaging disposal

- ▶ Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Management Authority for disposal.
- Bury residue in an authorised landfill.

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

## **Disposal Requirements**

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package. The package must be disposed according to the manufacturer's directions taking into account the material it is made of. Packages which hazardous content have been appropriately treated and removed may be recycled.

Issue Date: **28/02/2022**Print Date: **07/03/2022** 

## **SECTION 14 Transport information**

#### Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
picloram, potassium salt	Not Available

#### Transport in bulk in accordance with the ICG Code

Product name	Ship Type
picloram, potassium salt	Not Available

## **SECTION 15 Regulatory information**

## Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard	
HSR101073	Not Available	

New Zealand Inventory of Chemicals (NZIoC)

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

## picloram, potassium salt is found on the following regulatory lists

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO)  $\mbox{Act}\mbox{ - Classification}$ 

of Chemicals

## Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantities
Not Applicable	Not Applicable

## Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

## Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Gas (aggregate water capacity in mL)	Liquid (L) Solid (kg)		Maximum quantity per package for each classification	
6.5A or 6.5B	120	1	3		

## **Tracking Requirements**

Not Applicable

## National Inventory Status

Status
Yes
No (picloram, potassium salt)
No (picloram, potassium salt)
No (picloram, potassium salt)
Yes
Yes
No (picloram, potassium salt)
Yes

Chemwatch: 5513-56 Page 7 of 7 Version No: 4.1

## Cut'n'Paste Picloram Gel

National Inventory	Status	
Philippines - PICCS	No (picloram, potassium salt)	
USA - TSCA	No (picloram, potassium salt)	
Taiwan - TCSI	No (picloram, potassium salt)	
Mexico - INSQ	No (picloram, potassium salt)	
Vietnam - NCI	No (picloram, potassium salt)	
Russia - FBEPH	No (picloram, potassium salt)	
Legend:	Yes = All CAS declared ingredients are on the inventory  No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

## **SECTION 16 Other information**

Revision Date	28/02/2022
Initial Date	25/11/2021

## **SDS Version Summary**

Version	Date of Update	Sections Updated	
3.1	08/02/2022	Chronic Health, Classification	
4.1	28/02/2022	Acute Health (eye), Acute Health (skin), Classification, Environmental	

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios.

## **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value BCF: BioConcentration Factors

BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List

NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory

NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory

INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.

Issue Date: 28/02/2022

Print Date: 07/03/2022